




SCHEMI ELETTRICI “NEGATIVOSCOPI – linea 2”
ELECTRICAL WIRING DIAGRAM “VIEWING BOXES – series 2”
DIAGRAMA ELÉCTRICO “NEGATOSCOPIOS – clase 2”
SCHEMA DE CÂBLAGE “NÉGATOSCOPIES – série 2”

LEGENDA		LEGEND		LEYENDA		LEGENDE	
L	linea	line	linea	ligne			
N	neutro	neutral	neutral	neutre			
T	terra	ground	tierra	terre			
PF	portafusibili	fuseholder	Porta fusibles	Porte fusible			
F	fusibili	fuses	fusibles	fusibles			
I	interruttore	switch	interruptor	interrupteur			
PL	portalampada	lampholder	Porta lámparas	portelampe			
PS	portastarter	starterholder	Alojamiento cebador	Logement pour demarreur			
R	reattore	ballast	reactor	ballast			

Modèles Secteur Lumière Cm	Dimensions Haut/Long /Prof Cm	Voltage Aliment. V/Hz	Énergie Absorbée W	Intensité Absorbée A	Fusibles Num/A	Lampes Num/W	Démarrreur Num/W/V	Ballasts Num/W	Volume Emballage M³	Poids Avec Emballage Kg
Modelos Campo Luz Cm	Dimensiones Altura/ Longitud/ Profundidad Cm	Tensión Aliment. V/Hz	Potencia Absorbida W	Consumo Corriente A	Fusibles Num/A	Lampáras Num/W	Cebador Num/W/V	Balastos Num/W	Volumen Embalaje M³	Peso Con Embalaje Kg
Models Light Cm	Overall Measures High/Lenght /Depth Cm	Power Supply Voltage V/Hz	Power Input W	Absorbed Current A	Fuses Nr/A	Lamps Nr/W	Starter Nr/W/V	Ballasts Nr/W	Packaging Volume M³	Weight Packing Incl. Kg
Modelli Settore Luce Cm	Misure Ingombro Alt/Lun/Pro Cm	Tensione Aliment. V/Hz	Potenza Assorbita W	Corrente Assorbita A	Fusibili Num/A	Lampade Num/W	Starter Num/W/V	Reattori Num/W	Volume Imballo M³	Peso Con Imballo Kg
40x43	51/43/11	230/50	93	1	2/2	3/15	1/4-80/220-240 2/4-22/110sin-220ser	1/18-20 1/36-40	0,08	8
70x43	51/75/11	230/50	108	0,9	2/1,6	4/15	4/4-22/110sin-220ser	2/36-40	0,13	11
90x43	51/93/11	230/50	145	1,3	2/2	3/30	3/4-80/220-240	3/36-40	0,153	14
120x43	51/123/11	230/50	135	1,3	2/2	3/36	3/4-80/220-240	3/36-40	0,196	17
150x43	51/153/11	230/50	212	2,2	2/3,15	3/58	3/4-80/220-240	3/58-65	0,24	22
180x43	51/186/11	230/50	290	2,6	2/3,15	6/30	6/4-80/220-240	6/36-40	0,306	28
30x90	33/98/11	230/50	145	1,3	2/2	3/30	3/4-80/220-240	3/36-40	0,09	11
60x90	63/98/11	230/50	195	1,8	2/2,5	4/30	4/4-80/220-240	4/36-40	0,19	18
60x120	63/128/11	230/50	170	1,8	2/2,5	4/36	4/4-80/220-240	4/36-40	0,242	22
120x86	96/123/11	230/50	270	2,6	2/3,15	6/36	6/4-80/220-240	6/36-40	0,355	32
150x86	96/153/11	230/50	424	4,4	2/5	6/58	6/4-80/220-240	6/58-65	0,434	41
180x86	96/186/11	230/50	580	5,2	2/6,3	12/30	12/4-80/220-240	12/36-40	0,518	58





180x86